




## **Isolation Posters Guide**

 Contact precautions (Source isolation) e.g.; MRSA, C.diff, ESBL (E. coli & Klebsiella), Shingles, Norovirus, Campylobacter, Group A Strep (iGAS, meningitis, wound infection/infection in other normal sterile site)



• Enhanced contact precautions (Source isolation) e.g.; CPE, Candida auris, Resistant Acinetobacter baumannii








Droplet/Airborne precautions e.g.; Covid-19



• Airborne precautions: e.g.; Chicken pox, Pulmonary TB, Measles virus.








 <u>Droplet precautions</u> e.g.; Influenza virus, RSV, Mumps, Rubella, Group A Strep (Respiratory infection), etc



Protective precautions (Protective isolation) e.g.
Neutropenia (Neutrophils <1)</li>







This is a guide based on <u>Appendix 11: Aide memoire for optimal patient placement and respiratory protective equipment (RPE) for infectious agents in hospital inpatients (based on evidence from WHO, CDC and UKHSA)</u> which outlines the transmission-based precautions required for several infectious agents / diseases which will minimise cross transmission events from and between patients, and healthcare workers. The details included in the table are drawn from published evidence from a number of validated sources, for example, WHO, CDC, and UKHSA.

If you are unsure or your query is not covered here, please contact the Infection Prevention & Control Team via bleep 1747 or via email infectionpreventionandcontrol@ouh.nhs.uk